

# HOME MEDICATION COLLECTION

GO-LIVE MARCH 11, 2014

# Home Medication History(OMR)

## PROCESS

1. Obtain medication history through other source if available-i.e. Dr. First.
2. Launch the Home Medication History document
3. Open OMR-Outpatient Medication Review
4. Compare other sourcelist with the list in OMR.
5. Review list with patient
6. Discontinue meds that the patient is no longer taking
7. Correct any free text medications- highlighted in pink with icon
8. Add new home meds
9. Enter Last Dose Date/Time, reason for med
10. Save as Complete
11. Complete Home Medication history document

Home Medications Review Status for Reconciliation: **Complete**  
Discharge Reconciliation Status: **Complete**  
Some patient medication may not be shown. Showing: All Meds to be reviewed for this visit.  
Display Format: **Review Active Medications (Modified)** Group/Sort by: **Item Class and Dru**

**Lantus 100 units/mL subcutaneous solution** ✓ ?  
10 unit(s)... Info Source: [v]  
Status: **Active**  
Refills: **None Qty: 0** Last Dose Taken Date/Time: 01-02-2014 [>]  
Entry Type: **Hx** Follow up Reason/Comment: [v]  
Ref#: **1487409**

**Motrin 200mg** ✓ ?  
1 tab(s) orally every 4... Info Source: [v]  
Status: **Active**  
Refills: **None Qty: 0** Last Dose Taken Date/Time: \* [>]  
Entry Type: **Hx** Follow up Reason/Comment: Needs follow up [v]  
Ref#: **1487409**

# Home Medication History document

Outpatient Medication Review

Outpatient Medication Status: [<Not yet specified>](#)

     Show all available  Show selected only

Chart Scope:

<input type="checkbox"/> Medication	Last Dose Taken	Instructions
-------------------------------------	-----------------	--------------

PRE HOSPITALIZATION MEDICATION INFORMATION

Do you take any herbal remedies or dietary supplements?  No  Yes (See Pre-Hospitalization Medication List)

Are you taking medication samples?  Yes (enter in OMR)  No

Are you taking over the counter medications?  Yes (enter in OMR)  No

INFORMATION OBTAINED FROM

<input type="checkbox"/> Meds From Other Source	<input type="checkbox"/> Patient/guardian verbal	<input type="checkbox"/> Patient written list	<input type="checkbox"/> Family	
<input type="checkbox"/> Pharmacy	<input type="checkbox"/> Home Care Agency	<input type="checkbox"/> Nursing home	<input type="checkbox"/> Hospice Agency	<input type="checkbox"/> Dialysis

I have obtained verification of home medications by:

Two or more sources  One source  Unable to obtain

Do any medications require further clarification?  Yes  No

General Medication Information

Medications brought to hospital  None  Yes

Medication patch  None  Medication patch(es) used

Medication pumps  None  Medication pump(s) used

Important medication experience/information/administration techniques

<input type="checkbox"/> Has difficulty swallowing pills	<input type="checkbox"/> Crush pills for administration	<input type="checkbox"/> Administer in food	<input type="checkbox"/> Fearful of needles	<input type="text"/>
--	---	---	---	----------------------

Current pharmacy (ies)

Home Medication Review:  I have completed the Home Medication List through the OMR  Transfer from acute care

**Must** open the OMR to complete home medication list. Click on pill bottle

Prehospitalization Medication Information section pulled from patient profiles and added to the ED Patient Note. Added questions Last question is mandatory

# No Home Medications

- No Home medications- Nurse must enter the OMR and change the medication status to No Current Medications
  - Click on Not yet specified



Home Medications Review Status for Reconciliation: **Not Done** Med Status: [<Not yet specified>](#)  
Discharge Reconciliation Status: **Not Done** Preferred Pharmacy: [<None>](#)

- Click on drop down arrow for Outpatient Medication Status and select No Current Medication



**Orm, Psych**  
APS-0654-A Stiles, Lanny  
Ht. In. / cm. Wt. lbs / kg 0  
Admit Date: 12-24-2013

Outpatient Medication Status:


History

- Save OMR as Complete

# Home Medication History (cont.)

## TIPS AND TRICKS

- Review current medications for complete sig-strength, dose, UOM, route, and frequency- may look correct but is free text
- If medication has multiple strengths, doses, frequency, add as another medication-example: 10 mg in the morning and 20 mg at night-add as 2 separate medications, do not add the 2<sup>nd</sup> dose in the comments
- Document the appropriate site. Affected area prefills the Instructions



Triple Antibiotic 400 units-3.5 mg-5000 units/g topical ointment

Instructions  Auto  Edit [Clear](#)

Apply topically to affected area 4 times a day

Dose  Unknown Dosage Units Route Frequency

1  app  topical  4 times a day  PRN

- EDIT instructions to add the appropriate site, ie: right, left, bilateral and appropriate area.



Instructions  Auto  Edit [Clear](#)

Apply topically to Right leg 4 times a day

- Extended release
- Prescription for post op surgery-add to Instructions

# Selecting appropriate medication/route

- Click on appropriate route to view the appropriate strength
  - May only see one option, click on option and second option will appear
  - When entering respiratory medications, select appropriate route:  
**nebulizer versus inhaler**
- Select a dose and frequency option-
  - If correct dose/freq not an option, select the closest option and then correct.
  - If select other, will need to complete all fields and possibly enter incorrect option.

A screenshot of a medication selection interface for 'levaquin'. The search bar contains 'levaquin'. Below it, a 'Full Catalog' dropdown is open, showing 'Levaquin' and 'Levaquin Leva-Pak'. To the right, a route selection menu is open, showing 'oral' (highlighted in orange) and 'intravenous'. A table of options is displayed to the right of the route menu:

Route	Strength
oral	25 mg/mL solution
intravenous	250 mg tablet
	500 mg tablet
	750 mg tablet
	other...

A screenshot of a medication selection interface for 'levaquin'. The search bar contains 'levaquin'. Below it, a 'Full Catalog' dropdown is open, showing 'Levaquin' and 'Levaquin Leva-Pak'. To the right, a route selection menu is open, showing 'oral' and 'intravenous' (highlighted in orange). A table of options is displayed to the right of the route menu:

Route	Strength
oral	25 mg/mL solution
intravenous	250 mg/50 mL solution
	500 mg/100 mL solution
	750 mg/150 mL solution
	other...

A screenshot of a medication selection interface for 'motrin'. The search bar contains 'motrin'. Below it, a 'Full Catalog' dropdown is open, showing 'Motrin'. To the right, a route selection menu is open, showing 'oral' (highlighted in orange). A table of options is displayed to the right of the route menu:

Route	Strength	Frequency
oral	50 mg tablet, chewable	1 tablet every 4 hours
	50 mg/1.25 mL suspension	other...

# Home Medication List (cont'd)

Add Medication - Pic, A

[Clear](#)

Medication Name *Generic: ibuprofen*

Motrin 200 mg oral tablet

Dose  Unknown Dosage Units  Route  Frequency   PRN

Last Dose Taken Date  Last Dose Taken Time

Follow Up Reason/Comment  Info

Start Date   Approx End Date

[Health Issues](#) [Sample Tracking](#)

PRN Instructions:

- PRN itching
- PRN leg cramps
- PRN migraine
- PRN mild pain
- PRN mild to moderate agitation
- PRN mild to moderate pain
- PRN moderate to severe pain
- PRN mouth dryness
- PRN mouth pain
- PRN muscle pain

[Instructions](#)  Auto  Edit [Clear](#)

1 tab(s) orally every 4 hours, As Needed-  
PRN mild to moderate agitation

Internal Memo

[Comments](#)

**PRN Reason**-Click on **PRN** and select reason-must be done so that order prefills for admission med rec

**Internal Memo** is the mandated area to address "reason" the patient states they are taking scheduled medication